

## SUPPLEMENT TO

## The Gazette of India



No. 36 ]

NEW DELHI, SATURDAY, SEPTEMBER 29, 1956

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956

CHOLERA						SMALLPOX						PLAGUE					
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.		
STATES PART (A) AND PART (C)												Assam—contd.					
Aimer						(Estd. mid-year pop. 9,817 thousands)											
TOTAL						.. ..						Total for w/c 25-8-56 .. .. 3 1 .. ..					
(Estd. mid-year pop. 752 thousands.)												Total for w/c 18-8-56 .. .. 9 3 .. ..					
Total for w/c 25-8-56						.. ..						7-yearly mean for the week .. .. 6 3 .. ..					
Total for w/c 18-8-56						.. ..						Bhopal					
7-yearly mean for the week .. ..						.. ..						TOTAL .. .. 4 3 .. ..					
Andhra						(Estd. mid-year pop. 867 thousands)											
Visakhapatnam						.. .. 4 2 .. ..						Total for w/c 25-8-56 .. .. 2 2 .. ..					
Godavari East						.. .. 6 2 .. ..						Total for w/c 18-8-56 .. .. 2 2 .. ..					
Godavari West						.. .. 21 4 .. ..						7-yearly mean for the week .. ..					
Krishna						.. .. 8 3 25 1 .. ..						Bihar					
Guntur						.. .. 1 .. 37 2 .. ..						Patna .. .. 130 46 2 .. ..					
Nellore						.. .. 19 5 .. ..						Gaya .. .. 47 18 .. ..					
Kurnool						.. .. 6 4 20 3 .. ..						Shahabad .. .. 19 13 .. ..					
Anantapur						.. .. 2 1 .. ..						Saran .. .. 3 2 .. ..					
Chittoor						.. .. 1 .. ..						Muzaffarpur .. .. 17 2 .. ..					
TOTAL						.. 15 7 135 20 .. ..						Darbhanga .. .. 6 2 .. ..					
(Estd. mid-year pop. 21,238 thousands)												Bhagalpur .. .. 10 3 .. ..					
Total for w/c 25-8-56						2 2 96 16 .. ..						Santal Parganas .. .. 2 .. ..					
Total for w/c 18-8-56						5 3 161 22 .. ..						Manbhum .. .. 4 .. ..					
7-yearly mean for the week .. ..						181 93 79 12 .. ..						TOTAL 232 86 8 .. ..					
Assam						(Estd. mid-year pop. 42,198 thousands)											
Sibsagar						.. .. 17 3 .. ..						Total for w/c 25-8-56 328 138 9 3 .. ..					
TOTAL						.. .. 17 3 .. ..						Total for w/c 18-8-56 269 101 8 5 .. ..					
												7-yearly mean for the week .. 522 221 24 5 .. ..					

Explanation of symbols used: C.—Cases; D.—Deaths; ..=Nil.



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.													
Bombay																Himachal Pradesh																															
Greater Bombay																TOTAL																															
Ahmedabad																(Estd. mid-year pop. 1,003 thousands)																															
Surat																Total for w/e 25-8-56																															
East Khandesh																Total for w/e 18-8-56																															
West Khandesh																																															
Nasik																Madhya Pradesh																															
Satara North																"N. R."																															
Sholapur																Madras																															
Kanara																Madras																															
TOTAL																Chingleput																															
(Estd. mid-year pop. 39,569 thousands)																North Arcot																															
Total for w/e 25-8-56																Salem																															
Total for w/e 18-8-56																South Arcot																															
7-yearly mean for the week																Tanjore																															
																Tiruchirapealli																															
																Ramanathapuram																															
																Tirunelveli																															
																Malabar																															
Coorg																TOTAL																															
TOTAL																(Estd. mid-year pop. 38,273 thousands)																															
(Estd. mid-year pop. 262 thousands.)																Total for w/e 25-8-56																															
Total for w/e 25-8-56																Total for w/e 18-8-56																															
Total for w/e 18-8-56																7-yearly mean for the week																															
7-yearly mean for the week																463 240 73 16																															
Delhi																Manipur																															
Delhi City																TOTAL																															
TOTAL																(Estd. mid-year pop. 613 thousands.)																															
Estd. Census pop. 1,744 thousands)																Total for w/e 25-8-56																															
Total for w/e 25-8-56																Total for w/e 18-8-56																															
Total for w/e 18-8-56																Orissa																															
7-yearly mean for the week																Cuttack																															
																Balasore																															

Explanation of symbols used: C.—Cases; D.—Deaths; ..=Nil; "N.R."=Information not received:



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Orissa—contd.								Uttar Pradesh																							
Puri	.	.	12	5	..	..	..	..	Agra	.	.	.	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
Sambalpur	.	.	2	1	2	..	..	..	* Aligarh	.	.	.	1	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
Baudh	.	.	..	..	2	..	..	..	Bareilly	.	.	.	5	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
Ganjam	.	.	37	30	..	..	..	..	Banaras	.	.	.	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..			
Dhankanal	.	.	3	3	4	..	..	..	Budaun	.	.	.	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
TOTAL	.	.	239	143	8	..	..	..	Kanpur	.	.	.	..	..	3	2	..	..	..	..	..	..	..	..	..	..	..	..			
(Estd. mid-year pop. 15,114 thousands)																															
Total for w/e 25-8-56	.	.	341	182	18	2	..	..	Faizabad	.	.	.	..	..	10	2	..	..	..	..	..	..	..	..	..	..	..	..			
Total for w/e 18-8-56	.	.	247	140	39	6	..	..	Mirzapur	.	.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..			
7-yearly mean for the week	.	.	23	9	60	12	..	..	Mainpuri	.	.	7	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..			

Explanation of symbols used : —C.—Cases ; D.—Deaths ; .. = Nil; "N. R." = Information not received.



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st September, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.	
West Bengal—contd.								Jammu and Kashmir							
Hooghly . . . . .								"N.R."							
Howrah . . . . .								Madhya Bharat							
24-Parganas . . . . .								"N.R."							
Calcutta . . . . .								Mysore							
Nadia . . . . .								Bangalore . . . . .							
Murshidabad . . . . .								Kolar . . . . .							
Malda . . . . .								TOTAL . . . . .							
TOTAL . . . . .								Patiala and East Punjab States Union							
								TOTAL . . . . .							
(Estd. mid-year pop. 26,396 thousands.)								Rajasthan							
								"N. R."							
Total for w/e 25-8-56								Saurashtra							
Total for w/e 18-8-56								TOTAL . . . . .							
7-yearly mean for the week . . . . .								Travancore-Cochin							
								TOTAL . . . . .							
Grand Total for States Parts (A) & (C) (Excluding Bihar) 736 331 375 89 . . . . .								Grand Total for States Part (B) . . . . .							
Corresponding (Estd. mid-year pop. 2,81,659 thousands)*.								Grand Total for States Parts (A), (B) and (C) 753 338 394 91 9 . . . . .							
Corresponding Total for w/e 25-8-56. 968 395 372 127 . . . . .								ARREAR INFORMATION							
Corresponding Total for w/e 18-8-56. 796 330 401 109 . . . . .								Vindhya Pradesh							
Corresponding 7-yearly mean for the week 1455 717 294 62 2 1 . . . . .								For w/e 25-8-56							
								TOTAL . . . . .							
STATES PART (B)								Rajasthan							
Hyderabad								For w/e 18-8-56							
Aurangabad . . . . .								TOTAL . . . . .							
Hyderabad . . . . .								Mysore							
Khammam . . . . .								For w/e 14-7-56							
TOTAL . . . . .								(Revised)							
Bangalore . . . . .															
Chitaldrug . . . . .															
Kolar . . . . .															
TOTAL . . . . .															

Explanation of symbols used : C. = Cases; D. = Deaths ; .. = Nil ; "N.R." = Information not received.  
\* Excluding Pondicherry.



CHOLERA				SMALLPOX				PLAGUE				CHOLERA				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
—																							

## POLIOMYELITIS

(Revised)

Place

Period

## Cases

### Deaths

Chitaldrug	Place	Period	Cases	Deaths
12	Delhi	5—18 Aug. 56	4 (Paretic)	..
17	"	19 Aug.—1 Sept. 56	5 ( " )	..
	Hyderabad	" "	2	..
29	Greater Bombay	" "	6	1

**Explanation of Symbols used :** C.=Cases; D.=Deaths ; ..=Nil.

*The 24th September, 1956.*

K. MITRA,  
for Registrar General, India.

*Prosper with the* **NATION**

## INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

*and help India's*

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

**PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES**

<b>12-YEAR NATIONAL SAVINGS CERTIFICATES</b>	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
<b>10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES</b>	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
<b>10-YEAR NATIONAL PLAN CERTIFICATES</b>	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
<b>POST OFFICE SAVINGS BANK ACCOUNTS</b>	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

## 15-YEAR ANNUITY CERTIFICATES

**Issue Prices: Rs. 3,500/-. Rs. 7,000/-. Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.**

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

**YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX**

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

## INVEST IN INDIA'S FUTURE



**Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956**

Town	Mid-year Popn. Est. (000)	Deaths from—											D.R. *	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
STATES—(Parts A and C)														
Ajmer														
Ajmer	223	75	17.5	..	..	..	13	4	6	..	49	11.4	11	
Beawar	59	14	12.3	..	..	..	7	2	1	4	22	19.4	14	
TOTAL	282	89	16.4	..	..	..	20	6	7	4	71	13.1	25	
Andhra														
Adoni	63	52	42.9	..	..	..	1	1	1	..	12	9.9	1	
Anantpur	38	53	72.5	..	..	..	..	..	1	..	7	8.5	..	
Anakapalli	46	88	99.4	..	..	..	4	5	3	..	37	41.8	..	
Bhimavaram	36	32	46.2	..	..	..	1	..	..	..	11	15.9	3	
Chirala	43	62	75.0	..	..	..	2	..	2	..	8	9.7	2	
Chittoor	45	48	55.4	..	..	..	7	..	2	1	22	25.4	4	
Guddapah	42	30	37.1	..	..	..	1	..	..	..	5	6.2	1	
Eluru	99	32	16.8	..	..	..	6	..	1	1	30	15.8	3	
Gudivada	36	34	49.1	..	..	..	6	..	2	..	19	27.4	4	
Guntur	147	312	110.4	..	..	..	10	..	8	..	68	24.1	22	
Guntakal	37	22	30.9	..	1	..	5	..	1	..	10	14.1	..	
Kakinada	113	37	17.0	..	..	..	12	..	..	..	27	12.4	..	
Kurnool	68	95	72.7	..	..	..	1	3	3	2	44	33.7	8	
Masulipatnam	88	76	45.0	..	..	..	4	..	5	..	35	20.7	9	
Nandyal	37	20	28.1	..	1	..	3	..	1	..	10	14.1	4	
Nellore	95	114	62.4	..	..	..	9	4	1	1	38	20.8	7	
Proddatur	42	31	38.4	..	..	..	..	..	2	1	8	9.9	3	
Rajahmundry	122	78	33.2	..	..	..	4	..	2	1	22	9.4	5	
Tenali	67	76	59.0	..	..	..	7	3	..	..	24	18.6	8	
Vijayvada	201	186	48.2	..	..	..	10	5	5	2	649	12.7	10	
Visakhapatnam	128	114	46.3	..	2	..	13	..	20	..	91	36.9	21	
Vizianagaram	75	41	28.4	..	..	..	4	4	1	..	27	18.7	9	
TOTAL	1,668	1,633	50.9	..	4	..	110	25	61	9	604	18.6	124	
Assam														
Shillong†														
Gauhati†														
Disbrugarh	46	2	2.2	..	..	..	..	..	..	..	3	3.3	..	
Silchar	43	12	12.2	..	..	..	2	..	..	..	4	4.8	1	
TOTAL	89	14	8.1	..	..	..	2	..	..	..	7	4.1	1	
Bhopal														
Bhopal	116	42	18.8	..	..	..	2	..	2	..	5	2.2	..	
Bihar														
Bombay														
Ahmedabad	889	860	50.3	..	1	..	33	30	98	..	445	26.0	137	
Ahmednagar	88	61	36.0	..	..	..	..	2	5	..	20	11.8	5	
Amalner	50	22	22.9	..	..	..	7	1	..	..	12	12.5	3	
Bagalkot	36	25	36.1	..	..	..	3	1	1	..	9	13.0	1	
Baroda	242	220	47.3	..	..	..	19	3	14	1	78	16.8	18	
Barsi	46	47	53.1	..	..	..	5	2	..	2	22	24.8	1	
Belgaum	110	156	73.7	..	..	..	5	1	9	..	57	27.0	19	
Bhusawal	62	66	55.4	..	..	..	5	..	4	..	13	10.9	2	
Bijapur	75	45	31.2	..	..	..	6	..	2	..	14	9.7	1	
Broach	67	65	50.5	..	..	..	3	..	2	..	19	14.7	5	
Cambay	41	40	50.8	..	..	..	..	1	1	..	5	6.3	..	
Chalisgaon	35	30	44.6	..	..	..	5	..	..	..	8	11.9	2	
Dharwar	76	46	31.5	..	..	..	..	2	..	..	14	9.6	3	
Dhulia	89	56	32.5	..	..	..	5	1	2	..	13	6.5	4	
Gadag Betageri	71	43	31.4	..	..	..	6	..	1	1	20	14.6	4	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay— <i>contd.</i>														
Godra	40	39	50.7	..	..	..	3	..	1	..	8	10.4	..	
Greater Bombay	3,449	1,971	29.7	..	1	..	1	28	119	2	630	9.5	174	
Hubli	148	41	14.4	..	..	..	..	..	5	..	17	6.0	..	
Malgaon†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Kalyan	73	47	33.5	..	..	..	3	3	1	..	15	10.7	6	
Kolhapur	159	120	39.2	..	..	..	1	2	5	..	24	7.8	1	
Malegaon†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Miraj	44	27	31.9	..	..	..	1	..	5	..	15	17.7	1	
Nadiad	71	54	39.4	..	..	..	11	..	..	..	22	16.1	7	
Nandurbar	35	33	49.0	..	..	..	1	1	2	..	9	13.4	1	
Nasik	119	81	35.4	..	..	..	5	3	2	..	31	13.5	10	
Navasari	50	43	44.7	..	..	..	6	..	1	..	13	13.5	8	
Pandharpur	44	41	48.5	..	..	..	5	4	4	1	22	26.0	10	
Patan	47	41	45.4	..	..	..	5	3	2	..	17	18.8	1	
Poona	607	355	30.4	..	..	..	7	6	22	1	142	12.2	32	
Sangli	58	27	24.2	..	..	..	2	2	1	..	11	9.9	1	
Satara	40	45	58.5	..	..	..	5	..	4	1	17	22.1	3	
Sholapur	299	279	48.5	..	..	..	20	11	40	..	130	22.6	29	
Surat	250	215	44.7	..	..	..	9	3	16	..	101	21.0	24	
Thana	61	27	23.0	..	..	..	1	..	..	..	6	5.1	1	
TOTAL	7,571	5,268	36.2	..	2	..	188	110	369	9	1,979	13.6	514	
Delhi State														
Delhi City	1,124	783	36.2	..	..	..	81	13	34	..	194	10.0	57	
New Delhi	374	258	36.0	..	..	..	6	11	2	..	91	12.6	24	
N.A.C. Civil Station, Delhi	117	108	48.0	..	..	..	2	2	3	..	20	8.9	9	
Delhi Cantt.	50	25	26.0	..	..	..	..	..	..	..	..	..	..	
Delhi-Shahadara	53	51	50.0	..	..	..	2	2	1	..	9	8.8	6	
TOTAL	1,718	1,225	37.0	..	..	..	91	28	40	..	314	9.5	96	
Madhya Pradesh														
Achalpur	38	33	45.2	..	..	..	4	..	1	..	13	17.8	5	
Akola	104	117	58.5	..	..	..	7	4	1	..	27	13.5	3	
Amravati	101	165	84.9	..	..	..	2	2	..	1	25	12.8	8	
Bilaspur	40	51	66.3	..	..	..	3	1	..	..	23	29.9	7	
Burhanpur	79	72	47.4	..	..	..	7	..	1	..	10	6.6	..	
Chanda†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Chindwar†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Damoh†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Gondia†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Hingaghatt†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Jabalpur	237	181	39.7	..	..	..	13	2	8	..	53	11.6	..	
Khandwa	59	30	28.4	..	1	..	3	..	..	..	12	10.6	..	
Khangaont	..	..	..	..	..	..	..	..	..	..	..	..	..	
Kamptec	36	26	41.9	..	..	..	2	..	..	..	9	13.0	1	
Murwara	39	29	38.7	..	..	..	3	..	8	..	11	14.7	..	
Itarsi†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Nagpur	528	175	17.2	..	..	..	13	4	10	..	70	6.9	..	
Sagar	75	35	24.3	..	..	..	2	..	..	..	12	8.3	..	
Raipur†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Rajgarh†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Wardha†	..	..	..	..	..	..	..	..	..	..	..	..	..	
Yeotmal	41	54	68.5	..	..	..	9	2	2	..	21	26.6	7	
TOTAL	1,377	968	36.6	..	1	..	68	15	31	1	286	10.8	33	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Towns	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras														
Ambur†														
Aruppukottai .	56	38	35.3	..	..	..	4	3	3	..	21	19.5	7	
Bodinayakanpur .	40	25	32.5	..	..	..	2	..	..	..	9	11.7	1	
Cannanore .	47	24	27.0	..	..	..	..	..	4	..	14	15.7	..	
Chidambaram .	39	37	49.3	..	..	..	..	..	1	..	12	16.0	3	
Coimbatore .	234	260	57.8	..	..	..	3	13	12	..	102	22.7	21	
Cuddalore .	74	128	89.9	..	..	..	1	..	4	1	19	13.4	1	
Dindigul .	90	36	20.6	..	..	..	1	1	..	..	16	9.7	4	
Erode .	67	46	35.7	..	..	..	1	2	2	1	16	12.4	4	
Gobichetty Palyan .	38	15	20.5	..	..	..	..	..	1	..	6	8.2	1	
Guddiyattam .	53	52	51.0	..	..	..	..	2	3	1	25	24.5	10	
Kancheepuram .	90	52	30.0	..	..	..	2	3	9	3	31	17.9	9	
Karalkudi .	44	37	43.7	..	..	..	2	3	..	..	17	20.1	5	
Karur .	50	33	34.3	..	..	..	2	1	1	..	11	11.4	2	
Kozhikode .	176	241	71.2	..	..	..	4	2	8	..	81	23.9	14	
Kumbakonam .	105	83	41.1	..	..	..	..	2	1	..	24	11.9	6	
Madras .	1,703	1,447	44.2	..	6	..	64	138	151	1	631	19.3	174	
Mangalore .	136	101	38.6	..	..	..	1	3	5	..	29	11.1	8	
Mathurai .	427	376	45.8	..	..	..	5	12	25	1	112	13.6	30	
Mayuram .	49	60	63.7	..	..	..	..	1	..	..	10	10.6	4	
Malapallyam .	41	15	19.4	..	..	..	1	4	1	..	8	10.4	4	
Nagapattinam .	60	37	31.5	..	1	..	1	3	2	..	22	18.8	3	
Ootacamund .	48	62	67.2	..	..	..	..	..	1	..	5	5.4	1	
Palni .	40	15	19.5	..	..	..	..	1	3	..	9	11.7	1	
Palayamkottai .	45	73	84.4	..	..	..	2	..	2	1	21	24.3	2	
Palghat .	77	45	30.4	..	..	..	1	..	2	..	21	14.2	1	
Periyakulam .	34	22	33.6	..	..	..	..	2	3	..	11	16.8	4	
Pollachi .	51	51	52.0	..	..	..	..	4	3	..	18	18.4	7	
Pudukottai .	50	37	38.5	..	1	..	1	1	..	1	13	13.5	3	
Rajapalayam .	69	28	21.1	..	..	..	2	4	4	..	17	12.8	..	
Salem†														
Srirangam .	42	20	24.8	..	..	..	..	..	3	..	8	9.9	3	
Srivilliputtur†														
Tanjore .	118	106	46.7	..	..	..	7	2	3	2	43	18.9	7	
Tellicherry .	42	47	58.2	..	..	..	..	..	..	..	18	22.3	6	
Tiruvannamalai .	45	41	47.4	..	..	..	1	..	2	1	11	12.7	3	
Tirunelveli .	80	69	44.9	..	..	..	..	3	5	..	24	15.6	9	
Tiruppur .	63	50	41.3	..	..	..	..	3	1	1	13	10.7	6	
Tiruchirappalli .	251	338	70.0	..	..	..	2	5	7	1	66	13.7	9	
Tuticorin .	111	72	33.7	..	1	..	3	5	10	..	51	23.9	18	
Vaniyambadi .	43	25	30.2	..	..	..	..	..	1	..	7	8.5	2	
Vellore .	124	131	54.9	..	..	..	2	5	9	..	44	18.5	11	
Villupuram .	39	44	58.7	..	..	..	1	..	2	..	8	10.7	1	
Virudunagar .	53	93	91.2	..	..	..	2	3	3	..	15	14.7	2	
TOTAL .	5,044	4,512	46.5	..	9	..	118	231	297	15	1,639	16.9	407	
Orissa														
Berhampur .	72	35	25.3	..	..	..	3	4	1	1	15	10.9	2	
Cuttack .	117	137	62.1	..	..	..	7	11	8	..	59	26.3	6	
Puri .	53	64	63.0	..	1	..	7	4	1	..	26	25.6	1	
TOTAL	242	236	50.7	..	1	..	17	19	10	1	100	21.5	9	
Pondicherry														
Pondicherry .	68	85	65.0	..	1	..	7	5	8	6	64	48.9	7	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

## Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Punjab (I)</b>													
Ambala . . .	65	63	50.7	..	..	..	4	6	4	..	16	12.9	5
Amritsar . . .	343	222	33.8	..	..	..	1	13	33	..	104	15.9	30
Batala . . .	62	49	41.1	..	..	..	11	2	2	..	20	16.6	8
Bhiwani . . .	57	62	56.8	..	..	..	5	4	1	..	14	12.7	5
Ferozepore . . .	45	26	30.1	..	..	..	..	1	..	..	4	4.4	1
Hissar . . .	39	32	42.7	..	..	..	2	1	1	..	9	12.0	3
Hoshiarpur . . .	51	30	30.6	..	..	..	2	2	1	1	12	12.3	1
Jullundur† . . .	72	64	46.4	..	..	..	6	..	1	..	12	8.7	6
Karnal . . .	176	156	46.3	..	..	..	15	..	1	1	28	8.3	6
Ludhiana . . .	41	39	49.5	..	..	..	4	..	1	..	10	12.6	..
Moga . . .	64	41	33.5	..	..	..	8	1	1	..	16	13.1	5
Pathankot . . .	34	25	38.3	..	..	..	2	1	..	..	3	4.4	8
Rewari . . .	36	35	50.8	..	..	..	3	2	1	..	11	16.0	6
Rohtak . . .	105	74	36.7	..	..	..	3	5	3	..	19	9.5	12
Simla . . .	50	37	38.6	..	..	..	..	1	1	..	9	9.4	7
Sonapat . . .	34	30	46.1	..	..	..	2	..	1	..	8	12.1	3
<b>TOTAL</b>	<b>1,274</b>	<b>985</b>	<b>40.2</b>	<b>..</b>	<b>..</b>	<b>..</b>	<b>68</b>	<b>39</b>	<b>52</b>	<b>2</b>	<b>295</b>	<b>12.0</b>	<b>106</b>
<b>Uttar Pradesh</b>													
Agra . . .	375	773	107.8	..	..	..	1	7	61	..	119	16.6	36
Allahabad . . .	349	185	27.7	..	..	..	2	4	22	..	65	9.7	11
Amroha . . .	61	66	56.6	..	..	..	3	4	2	..	28	24.0	99
Bahraich . . .	47	27	30.0	..	..	..	..	..	2	..	7	6.7	4
Banaras . . .	383	369	50.4	..	1	..	50	13	15	..	204	27.8	63
Ballia . . .	35	9	13.4	..	..	..	3	..	1	..	5	7.5	..
Banda . . .	32	42	68.6	..	..	..	3	1	1	..	9	14.7	5
Bareilly . . .	203	95	24.5	..	..	..	7	4	11	..	27	6.9	4
Bijnor† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Budaun . . .	54	35	33.9	..	..	..	4	1	5	..	16	15.5	3
Beati† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Bulandshahr† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Chandaul . . .	41	58	73.6	..	..	..	8	1	4	..	15	24.1	5
Dehra Dun . . .	146	57	20.4	..	..	..	2	1	3	..	19	5.4	5
Etawah† . . .	..	..	..	..	..	..	..	..	..	..	..	..	..
Faizabad-Ayodhya . . .	88	35	20.8	..	2	..	..	..	..	..	9	5.3	2
Farrukhabad-Fatehgarh . . .	82	52	33.1	..	..	..	10	7	3	..	24	15.3	8
Ferozabad . . .	79	46	30.4	..	..	..	5	2	1	..	13	8.6	4
Ghazalabad . . .	46	41	46.6	..	..	..	8	..	..	..	12	13.6	8
Ghazipur . . .	36	35	50.8	..	..	..	6	..	..	..	14	20.3	2
Gorakhpur . . .	140	100	37.3	..	..	..	4	3	..	..	21	7.8	8
Gonda . . .	35	12	17.9	..	..	..	1	1	..	..	4	6.0	1
Hapur . . .	49	45	48.0	..	..	..	12	1	..	..	17	18.1	2
Hardwar . . .	64	44	35.9	..	..	..	21	..	1	..	33	26.8	7
Hathras . . .	62	66	55.6	..	..	..	16	5	5	..	38	32.5	18
Jaunpur . . .	56	40	37.3	..	..	..	3	..	5	..	12	11.2	1
Jhansi . . .	116	115	51.8	..	..	..	23	4	1	..	43	19.4	13
Kanpur . . .	734	516	36.7	..	..	..	149	22	48	8	380	27.1	102
Kasganj . . .	34	14	21.5	..	..	..	1	..	..	..	1	1.5	1
Khurja . . .	41	38	48.4	..	..	..	1	3	4	..	12	15.3	3
Koil-Aligarh . . .	150	105	36.6	2	..	..	11	10	..	..	35	12.2	11
Lucknow . . .	494	487	51.5	..	..	..	31	7	15	..	159	16.8	39
Mathura . . .	110	80	38.0	..	..	..	5	2	4	..	24	11.4	6

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D., Infantile Deaths (included in total deaths); ..—Nil Information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Uttar Pradesh—contd.													
Mau-Nath Bhanjant†													
Meerut	185	129	36.4	..	..	..	5	1	3	1	30	8.5	8
Mirzapur Vindhyachal	97	76	41.0	..	..	..	10	1	2	..	22	11.8	7
Moradabad	164	111	35.4	..	..	..	13	3	4	..	50	15.9	11
Muzaffarnagar	74	46	32.5	..	..	..	8	..	..	..	13	9.2	5
Pilibhit	45	37	43.0	1	..	..	4	..	..	..	8	9.3	4
Rampur†													
Saharanpur	162	139	44.9	..	..	..	43	1	1	..	65	21.0	19
Sambhal	65	62	49.9	..	..	..	14	6	5	..	34	27.3	9
Shahjahanpur	99	54	22.2	..	..	..	18	1	..	..	29	11.9	12
Sitapur	49	25	26.5	..	..	..	1	1	..	..	4	4.3	..
TOTAL	5,082	4,266	43.6	3	3	..	506	117	229	9	1,620	16.6	460
West Bengal													
Asansol†													
Baidyabati	33	15	23.8	..	..	..	..	..	..	..	1	1.6	..
Bally	66	6	4.8	..	..	..	..	..	..	..	3	2.4	1
Bankura	50	17	17.8	..	..	..	..	..	..	..	7	7.3	..
Bansberia†													
Baranagar	90	52	30.2	..	..	..	5	4	2	1	24	13.9	8
Basirhat	39	12	16.1	..	..	..	1	2	..	..	5	6.7	..
Berhampur	64	53	43.3	..	..	..	1	3	1	..	15	12.3	3
Bhadreshwar	34	9	13.8	..	..	..	2	1	..	..	4	6.2	..
Bhatpara	143	39	14.3	1	..	..	14	1	4	..	41	15.0	10
Budge-Budge	32	8	13.0	..	..	..	1	4	..	..	6	9.8	1
Burdwan	82	20	12.7	..	1	..	..	..	2	..	13	8.3	..
Calcutta	2,984	1,755	30.7	10	13	..	39	53	167	5	704	12.3	202
Champdani	41	20	25.4	..	..	..	..	..	..	..	2	2.5	..
Cooch Behar†													
Darjeeling†													
English-Bazar	36	1	1.5	..	..	..	..	..	..	..	..	..	..
Garden Reach	124	20	8.4	..	3	..	4	..	3	1	21	8.9	5
Hallsabar	41	1	1.3	..	..	..	..	..	..	..	1	1.3	1
Hooghly-Chinsurah	60	66	57.5	..	..	..	1	2	3	..	25	21.8	5
Howrah	477	200	21.9	..	3	..	8	16	27	..	117	12.8	41
Jalpaiguri	49	17	18.1	..	..	..	2	..	1	..	12	12.8	..
Kamarhati†													
Kanchrapara	74	8	5.7	..	..	..	..	..	..	..	..	..	..
Krishnagar	56	4	3.7	..	..	..	1	..	..	..	1	10.9	..
Midnapore	45	23	26.6	..	..	..	1	2	..	..	12	13.8	..
Nabadwip	70	32	23.9	18	..	..	10	1	1	..	35	26.0	1
Naihati	62	3	2.5	1	..	..	1	..	..	..	4	3.4	..
North Barrackpore	36	4	5.8	2	..	..	..	..	..	..	2	2.9	2
Panihati	65	4	3.2	..	1	..	3	4	..	..	27	21.7	10
Shantipur	49	23	24.5	..	..	..	..	..	..	..	4	4.3	..
Serampore	83	40	25.2	..	1	..	..	3	1	5	19	12.0	..
Siliguri	44	29	34.5	..	..	..	..	..	..	..	2	2.4	..
South Dum Dum†													
South Suburban	124	67	28.3	..	..	..	..	1	5	..	10	4.2	7
Titagarh	78	26	17.3	2	..	..	9	..	..	1	13	8.7	..
TOTAL	5,231	2,574	25.6	34	12	..	103	97	217	13	1,130	11.2	301

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

†Figures not available

Explanation of symbols used :— B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn. Est. (000)	B.	B. R*.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Part B)													
<b>Hyderabad</b>													
Aurangabad . . .	73	12	7.8	..	..	..	5	..	..	..	7	5.0	..
Bidar†				..	..	..	4	2	2	..	10	5.8	..
Gulberga . . .	90	33	19.1	..	..	..	4	2	2	..	10	5.8	..
Hyderabad City . .	1057	192	9.4	..	..	..	30	3	17	..	118	5.8	21
Jalna†				..	..	..	..	..	..	..	2	1.5	..
Kothagudiam . . .	71	32	23.5	..	..	..	..	..	..	..	2	1.5	..
Latur . . .	41	1	1.2	..	..	..	1	..	1	..	2	2.5	..
Nanded . . .	80	34	22.1	..	..	..	5	..	..	1	7	4.5	1
Nizambad . . .	67	11	8.5	..	..	..	3	..	4	..	12	9.3	3
Parbhani . . .	40	8	10.4	..	..	..	1	1	3	..	7	9.1	2
Raichur†				..	2	..	3	5	8	..	39	12.5	8
Secunderabad City .	162	176	56.6	..	2	..	3	5	8	..	39	12.5	8
Warangal . . .	155	25	8.4	..	..	..	3	..	1	..	9	3.0	..
TOTAL . . .	1,836	524	14.8	..	2	..	55	11	36	1	213	5.9	35
<b>Jammu &amp; Kashmir</b>													
"N.R."													
<b>Madhya Bharat</b>													
Greater Gwalior	273	166	31.6	..	..	..	7	3	1	3	27	5.1	6
Indore	368	110	15.5	..	..	..	2	4	10	2	97	13.7	47
Ujjain	156	51	17.0	..	..	..	15	..	..	..	35	11.7	9
Ratlam	73	17	12.1	..	..	..	12	..	1	..	14	10.0	..
Mandsaur	41	10	12.8	..	..	..	..	..	..	..	..	..	..
TOTAL	911	354	20.2	..	..	..	36	7	12	5	173	9.9	62
<b>Mysore</b>													
Bhadravati†				..	..	..	5	44	61	..	189	10.1	..
Bangalore . . .	977	305	16.2	..	..	..	5	44	61	..	189	10.1	..
Mysore . . .	294	152	26.9	..	..	..	..	..	..	..	..	..	..
Kolar Gold Field .	173	137	41.2	..	..	..	3	6	1	1	27	8.1	..
Billary . . .	78	45	30.0	..	..	..	4	3	5	1	44	29.3	..
Davangere†				..	..	..	4	3	5	1	44	29.3	..
Hospet†				..	..	..	..	..	..	..	..	..	..
Shimoga†				..	..	..	..	..	..	..	..	..	..
TOTAL . . .	1,522	639	21.8	..	..	..	12	53	67	2	260	8.9	..
<b>PEPSU</b>													
Patiala City . . .	111	81	37.9	..	..	..	13	2	2	..	28	13.1	10
Malerkotla . . .	34	45	68.8	..	..	..	3	..	..	..	6	9.2	2
Bhatinda . . .	39	39	52.0	..	..	..	4	..	..	..	7	9.3	4
TOTAL . . .	184	165	46.6	..	..	..	20	2	2	1	41	11.6	16
<b>Rajasthan</b>													
Alwar†				..	..	..	..	..	..	..	..	..	..
Bharatpur†				..	..	..	..	..	..	..	..	..	..
Bikaner				..	..	..	..	..	..	..	..	..	..
Churu . . .	28	2	2.2	..	..	..	..	..	..	..	1	1.1	..
Ganganagar . . .	47	10	11.1	..	1	..	2	..	..	..	11	12.2	..
Tonk . . .	45	3	3.5	..	..	..	..	..	..	..	1	1.2	..
Kotah . . .	72	24	17.3	..	..	..	8	..	2	..	16	11.6	3
Sikar†				..	..	..	..	..	..	..	..	..	..
Jaipur . . .	353	230	33.9	..	..	..	33	4	..	1	71	10.5	20
Udaipur†				..	..	..	..	..	..	..	..	..	..
Jodhpur†				..	..	..	..	..	..	..	..	..	..
TOTAL . . .	565	269	24.8	..	1	..	43	4	2	1	100	9.2	2

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Town	Mid.-year Popn. Est (000)	B.	Deaths from :—								Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.			
Travancore-Cochin													
Alleppey	148	172	60.4	..	..	..	1	3	..	..	20	7.0	3
Changanacherry	41	16	20.3	..	..	..	1	..	..	..	7	8.9	1
Ernakulam	70	32	23.8	..	..	..	..	..	4	..	19	14.1	2
Kottayam†													
Mattanchery	85	101	61.8	..	..	..	..	1	1	..	5	3.1	1
Nagercoil	94	42	23.2	..	..	..	3	2	1	..	15	8.3	1
Quilon	75	92	63.8	..	..	..	..	..	2	1	11	7.6	3
Trichur	76	68	46.5	..	..	..	1	1	..	..	15	10.3	3
Trivandrum City	218	245	58.4	..	..	..	3	2	4	..	41	9.8	3
TOTAL	807	768	49.5	..	..	..	9	9	12	1	133	8.6	17

**Saurashtra**

"N.R."

**ARREAR RETURNS**

<b>West Bengal</b>													
<i>for w/e 25-8-56</i>													
Asansol†													
Baidyabati†													
Bally	66	14	11.0	..	..	..	..	1	1	..	2	1.6	1
Bankura	50	18	18.8	..	..	..	..	..	1	..	4	4.2	..
Bansberia†													
Baranagar	90	46	26.5	..	..	..	1	4	2	..	18	10.5	6
Basirhat	39	6	8.0	..	..	..	..	..	..	..	..	..	..
Berhampur	64	44	35.9	..	1	..	1	2	2	..	15	12.3	3
Bhadreshwar	34	5	7.7	..	..	..	1	4	..	..	9	13.8	1
Bhatpara	143	41	15.0	1	..	..	16	3	6	..	37	13.5	13
Budge Budge	32	10	16.3	..	..	..	..	..	1	..	1	1.6	..
Burdwan	82	28	17.9	..	1	..	1	3	2	1	27	17.2	..
Calcutta	2,984	1,727	30.3	1	5	..	33	60	120	5	627	11.0	208
Champadani	41	32	40.8	..	..	..	..	..	..	..	1	1.3	..
Cooch Behar†													
Darjeeling†													
English Bazar†													
Garden Reach	124	20	8.4	..	1	..	8	3	1	..	15	6.3	..
Halishar	41	3	3.8	..	..	..	..	..	..	..	..	..	..
Hoogly-Chinsurah	60	73	63.6	2	..	..	1	2	3	1	15	13.1	4
Howrah	447	214	23.5	1	3	..	6	12	26	1	109	11.9	41
Jalpaiguri†													
Kamarhati†													
Kanchrapura	74	5	3.5	..	..	..	..	..	..	..	..	..	..
Krishnagar	56	..	..	..	..	..	..	..	..	..	..	..	..
Midnapore	45	60	69.7	..	..	..	2	2	..	..	9	10.5	..
Nabadwip	70	40	29.9	..	..	..	7	1	..	1	10	7.5	2
Naihati	62	9	7.6	..	..	..	..	1	1	..	6	5.1	..
North Barrackpore	36	3	4.4	..	..	..	3	1	1	..	5	7.3	1
Panihati	65	1	0.8	..	..	..	..	..	..	..	..	..	..
Shantipur	49	19	20.3	..	..	..	..	..	1	..	5	5.3	1
Serampore	83	50	31.5	..	..	..	2	2	2	..	18	11.3	9
Siliguri	44	5	5.9	..	..	..	..	..	1	..	1	1.2	..
South Dum Dum													
South Suburban	124	13	5.5	..	..	..	..	6	..	..	11	4.6	5
Titagarh	78	26	17.4	1	..	..	12	..	..	..	16	10.7	6
TOTAL	5,113	2,512	25.5	6	11	..	94	107	171	9	961	9.8	301

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D. R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information; "N.R."—Information not received.



Births and deaths from principal diseases, in towns with a population of 30,000 and over in India for the week ending the 1st September 1956—*contd.*

Town.	Mid-year Popn.-Est. (000)	B	B.R.*	C.	Deaths from :—						Total	D.R.*	I.D.	
					S.	P.	F.	D.D.	R.D.	M.D.				
Mysore		for w/e 7-7-56												
Chitaldrug†														
Bhadravati†														
Bangalore	977	485	25·8	..	..	..	5	35	57	..	210	11·2	..	
Mysore	294	138	24·4	..	..	..	7	2	..	..	38	6·7	..	
Kolar Gold Field	173	82	24·6	..	..	..	1	5	1	..	24	7·3	..	
Bellary	78	35	23·3	..	..	..	4	1	1	..	21	14·0	..	
Davangere	69	74	55·8	..	..	..	7	3	..	..	28	21·1	..	
Hospet	45	26	30·0	..	..	..	3	..	..	..	11	12·7	..	
Shimoga	57	35	31·9	..	..	..	6	..	..	..	10	9·1	..	
TOTAL	1,693	875	26·9	..	..	..	33	46	59	..	342	10·5	..	
Punjab		for w/e 25-8-56												
Pathankote	34	22	33·8	..	..	..	..	..	3	..	3	4·6	..	
		for w/e 11-8-56												
Karnal	72	32	23·2	..	..	..	4	..	..	..	9	6·5	..	
Madhya Pradesh		for w/e 4-8-56												
Khamgaon	42	29	35·9	..	..	..	1	..	..	..	3	3·7	..	
		for w/e 11-8-56												
Nagpur	528	238	23·4	..	1	..	40	6	8	..	125	12·3	..	
Kamptee	36	16	23·1	..	..	..	2	..	..	..	5	7·2	..	
Khamgaon	42	36	44·6	..	..	..	5	3	..	..	15	18·6	..	
		for w/e 18-8-56												
Nagpur	528	214	21·1	..	..	..	28	24	6	..	106	10·5	5	
Kamptee	36	26	37·7	..	..	..	4	..	..	..	11	15·9	..	
Jabalpur	237	101	22·2	..	3	..	4	5	7	..	41	9·0	..	
Marwara	39	7	9·3	..	..	..	..	..	1	..	1	1·3	..	
Khamgaon	42	21	26·0	..	..	..	4	3	..	..	12	14·9	..	
		for w/e 25-8-56 (Revised)												
Nagpur	528	203	20·0	..	1	..	30	8	11	..	93	9·2	7	
Kamptee	36	20	28·9	..	..	..	2	..	..	..	7	10·1	..	
Jabalpur	237	119	26·1	..	2	..	6	4	5	..	30	6·5	..	
Murwara	39	9	12·0	..	..	..	..	..	..	..	3	4·0	..	
Sagar	75	46	31·9	..	..	..	2	1	..	..	10	6·9	..	
Damoh	42	62	76·6	..	..	..	3	2	..	..	20	24·7	..	
Itarsi	30	21	36·4	..	..	..	4	..	..	..	7	12·1	7	
Khandwa	59	27	23·8	..	..	..	1	..	..	..	9	7·9	..	
Burhanpur	79	76	50·0	..	..	..	6	1	5	..	18	11·8	..	
Bilaspur	40	35	45·0	..	..	..	5	..	..	..	21	27·1	10	
TOTAL	1,165	618	27·6	..	3	..	59	16	21	..	218	9·7	24	
Uttar Pradesh		for w/e 3-9-55												
Btawah	64	68	56·3	..	..	..	6	3	..	..	19	15·7	6	
		for w/e 10-9-55												
Allahabad	349	200	30·5	..	..	..	..	5	28	1	71	10·8	24	
Bijnor	32	14	23·5	..	..	..	1	1	..	..	4	6·7	1	
Btawah	64	91	75·3	..	..	..	9	4	5	..	33	27·3	13	
Ferozabad	79	40	27·4	..	..	..	3	..	..	..	6	4·1	2	
Lucknow	494	494	52·0	..	..	..	22	10	28	1	171	18·2	63	
Maunath Bhanjan	38	41	54·8	..	1	..	6	..	..	..	11	15·3	4	
Pilibhit	45	44	51·4	..	..	..	10	..	2	..	13	14·1	4	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D	R.D.	M.D.				
Uttar Pradesh—contd.				for w/e 10-9-55—contd.										
Rampur	158	3	1.0	..	..	..	2	..	1	..	8	2.7	1	
Sambhal	65	75	61.0	..	..	..	16	..	3	..	26	28.2	9	
				for w/e 17-9-55										
Bijnor	32	31	52.1	..	..	..	5	1	..	..	12	20.2	7	
Ballia	35	16	24.0	..	..	..	2	..	..	..	3	4.6	..	
Rampur	158	2	0.7	..	..	..	..	..	..	..	2	0.7	..	
				for w/e 24-9-55										
Bijnor	32	15	25.2	..	..	..	4	..	2	1	10	16.8	2	
Hapur	49	62	67.3	..	..	..	3	1	1	..	10	10.9	3	
				for w/e 1-10-55										
Bulandshahr	42	15	19.1	..	..	..	2	..	..	..	2	2.5	..	
Ballia	35	13	19.9	..	..	..	2	..	1	..	13	19.9	8	
Etawah	64	91	75.3	..	..	..	7	4	3	..	28	23.2	16	
Rampur	158	4	1.3	..	..	..	..	..	2	..	7	2.4	..	
				for w/e 8-10-55										
Banda	32	19	30.9	..	..	..	..	..	1	..	3	4.9	1	
				for w/e 15-10-55										
Bijnor	32	25	42.0	..	..	..	1	..	2	..	5	8.4	3	
Dehra Dun	146	60	22.2	..	..	..	2	1	5	..	20	7.4	4	
Ballia	35	14	21.5	..	..	..	..	..	..	..	5	7.7	4	
Etawah	64	64	52.0	..	..	..	4	..	5	..	15	12.1	6	
Lucknow	494	413	44.4	..	..	..	14	4	21	..	90	9.7	34	
Rampur	158	4	1.3	..	..	..	1	1	..	..	5	1.7	..	
				for w/e 22-10-55										
Bijnor	32	37	62.2	..	..	..	3	2	3	..	9	15.1	3	
Etawah	64	78	64.4	..	..	..	13	..	2	..	22	18.2	8	
Hardwar	64	51	42.2	..	..	..	16	..	8	..	33	27.3	10	
Maunath Bhanjan	38	36	50.7	..	1	..	3	2	..	..	11	15.5	4	
Rampur	158	5	1.7	..	..	..	3	..	..	..	8	2.7	..	
				for w/e 29-10-55										
Dehra Dun	146	60	22.2	..	3	..	1	..	..	..	17	6.3	3	
Ballia	35	9	13.8	..	..	..	1	..	..	..	6	9.2	3	
Etawah	64	78	64.5	..	..	..	4	1	2	..	15	12.4	6	
Maunath Bhanjan	38	19	26.0	..	..	..	2	2	..	..	6	8.3	2	
Rampur	158	..	..	..	..	..	..	..	..	..	..	..	..	
Sambhal	65	58	47.2	..	..	..	6	..	1	..	12	9.8	4	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.



## REMARKS

The figures of births and deaths shown in this statement for week ending the 1st September, 1956 relates to 241 towns with an estimated population of 35,587 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 76% of the total number of towns representing 86% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 24,616 and 9,034 representing birth and death rates of 36.0 and 13.2 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 206 towns with an estimated population of 29,762 thousands. Information about Bihar could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 81% of the total number of towns representing 89% of the total population is covered.

The number of births and deaths recorded in these towns were 21,897 and 8,114 representing birth rates and death rates of 38.3 and 14.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 35 towns with an estimated population of 5,825 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 54% of the total number of towns representing 72% of the total population is covered. The number of births and deaths recorded in these towns were 2,719 and 920 representing birth and death rates of 24.3 and 8.2 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 1-9-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . . .	16.4	13.1	†	†	40.2	15.4
Andhra . . . .	50.9	18.6	42.7	16.2	†	†
Bombay . . . .	36.2	13.6	37.5	14.2	36.1	17.3
Delhi . . . . .	37.0	9.5	40.8	9.3	42.9	12.1
Madhya Pradesh .	36.6	10.8	37.9	14.5	40.5	21.1
Madras . . . . .	46.5	16.9	39.7	15.9	†	†
Orissa . . . . .	50.7	21.5	53.1	18.9	54.6	21.8
Punjab (I) . . .	40.2	12.0	50.1	11.8	44.9	11.9
Uttar Pradesh . .	43.6	16.6	41.0	15.9	42.9	19.7
West Bengal . . .	25.6	11.2	24.4	9.7	23.8	11.4
*India . . . . .	38.3	14.2	37.4	13.7	40.6	18.1

\*8 Part 'A' States and 2 Part 'C' States.

†Figures not available

NEW DELHI-2 (INDIA) ;  
The 24th September, 1956. }

K. MITRA,  
for Registrar General, India.



